AKEMI®

Tel. +49(0)911-642960

according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Akepox 5010 Component A

11637, 11638, 22912, 10684A, 10687A, 10685A, 10686A, 10568A, 11460A, · Article number:

11561A, 11562A, 11563A, 11564A, 11565A, 11566A, 11567A, 11568A, 11569A,

11570A, 11724

AFNM-QHHN-8218-FWAD · UFI:

 1.2 Relevant identified uses of the substance or mixture and

uses advised against · Application of the substance / the

No further relevant information available.

mixture

Epoxy resin adhesive

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Lechstrasse 28 Fax. +49(0)911-644456 D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

1.4 Emergency telephone

Laboratory

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H315 Causes skin irritation. Skin Irrit. 2

Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

· Storage: Store in a well-ventilated place. Keep container tightly closed.

· 2.2 Label elements

Labelling according to Regulation

(EC) No 1272/2008 Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07 GHS09

· Signal word Warning

· Hazard-determining components of

labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane

Cyclohexanedimethanol diglycidyl ether

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



### according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

Trade name: Akepox 5010 Component A			
		(Contd. of page 1)	
· Precautionary statements	P101	If medical advice is needed, have product container or label at hand.	
	P102	Keep out of reach of children.	
	P103	Read carefully and follow all instructions.	
	P261	Avoid breathing vapours.	
	P273	Avoid release to the environment.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
	P302+P352	IF ON SKIN: Wash with plenty of water.	
	P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes.	
		Remove contact lenses, if present and easy to do. Continue rinsing.	
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
	P337+P313	If eye irritation persists: Get medical advice/attention.	
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
· 2.3 Other hazards		ŭ ű	

· Results of PBT and vPvB assessment

 $\begin{array}{ccc} \cdot & \underline{\mathsf{PBT:}} & & \mathsf{Not} \ \mathsf{applicable.} \\ \cdot & \mathsf{vPvB:} & & \mathsf{Not} \ \mathsf{applicable.} \end{array}$ 

· Determination of endocrine-disrupting properties

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

List II

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %	50-100%
	Skin Irrit. 2; H315: C ≥ 5 %	
14228-73-0	Cyclohexanedimethanol diglycidyl ether Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412 EUH205	12.5-25%
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane Eye Dam. 1, H318 Aquatic Chronic 3, H412	1-5%

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

· <u>General information:</u> Take affected persons out into the fresh air.

Position and transport stably in side position.

Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for

transportation.

· After skin contact: If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

(Contd. on page 3)



(Contd. of page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

**Trade name:** Akepox 5010 Component A

· After swallowing: Rinse out mouth and then drink plenty of water.

 4.2 Most important symptoms and effects, both acute and

delayed

Breathing difficulty

Danger of impaired breathing.

Coughing
Allergic reactions

· <u>Hazards</u> · <u>4.3 Indication of any immediate</u>

medical attention and special

treatment needed

If swallowed, gastric irrigation with added, activated carbon.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· 5.2 Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

· Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage

system.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage

svstem.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

**containment and cleaning up:** Dispose of the material collected according to regulations.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage** 

· 7.1 Precautions for safe

handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)



(Contd. of page 3)

## Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

Trade name: Akepox 5010 Component A

· Information about fire - and explosion protection:

No special measures required.

### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground.

 Information about storage in one common storage facility:

Further information about storage

conditions:

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Store away from reducing agents.

· Storage class:

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical

	valu	les that have to be monitored at the workplace.
· <u>DNELs</u>		
1675-54-3	bis[4-(2,3-epoxypropoxy)pl	nenyl]propane
Oral	DNEL (Kurzzeit-akut)	0.5 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	8.33 mg/kg bw/day (ARB)
		3.571 mg/kg bw/day (BEV)
	DNEL ( Langzeit-wiederholt)	0.75 mg/kg bw/day (ARB)
		0.0893 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	12.25 mg/m³ Air (ARB)
	DNEL (Langzeit-wiederholt)	4.93 mg/m³ Air (ARB)
		0.87 mg/m³ Air (BEV)
2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane		
Oral	DNEL (Langzeit-wiederholt)	5 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	21 mg/kg bw/day (ARB)
		12.5 mg/kg bw/day (BEV)
	DNEL ( Langzeit-wiederholt)	10 mg/kg bw/day (ARB)
		5 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	147 mg/m³ Air (ARB)
		43.5 mg/m³ Air (BEV)
	DNEL (Langzeit-wiederholt)	70 mg/m³ Air (ARB)
		17 mg/m³ Air (BEV)
· PNECs		
1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane		
PNEC (wässrig) 10 mg/l (KA)		
	0.0006 mg/L(MW)	

0.0006 mg/l (MW) 0.006 mg/l (SW) 0.018 mg/l (WAS)

PNEC (fest) 0.065 mg/kg Trockengew (BO)

(Contd. on page 5)



(Contd. of page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

**Trade name: Akepox 5010 Component A** 

0.034 mg/kg Trockengew (MWS)
0.341 mg/kg Trockengew (SWS)

### 2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane

PNEC (wässrig) 8.2 mg/l (KA)

0.045 mg/l (MW) 0.45 mg/l (SW) 1 mg/l (WAS) 0.063 mg/kg Trockengew (BO)

PNEC (fest)

1.6 mg/kg Trockengew (SWS)

· Additional information:

The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures:

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Respiratory protection:

· Hand protection

Not necessary if room is well-ventilated.

Short term filter device:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

Kresto Člassic (http://debstoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with

(Contd. on page 6)



## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

Trade name: Akepox 5010 Component A

(Contd. of page 5)

different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).

Butyl rubber, BR Material of gloves

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

· Penetration time of glove material Value for the permeation: Level  $\leq$  6, 480 min

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are

suitable:

Butyl rubber, BR

Butoject (KCL, Art No. 897, 898) Fluorocarbon rubber (Viton) Vitoject (KCL, Art No. 890)

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Dermatril (KCL, Art No. 740, 741, 742)

Chloroprene rubber, CR

Camapren (KCL, Art\_No. 720, 722, 726)

Not suitable are gloves made of

the following materials:

Leather gloves

Strong material gloves

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

General Information

Colourless Colour: · Odour: Characteristic Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range Undetermined.

· Flash point: Not applicable. · pH Not determined.

Not applicable

· Viscosity:

 Kinematic viscosity Not determined. Not determined. · Dynamic:

· Solubility

· water: Not miscible or difficult to mix.

· Vapour pressure at 20 °C: 2 hPa

· Density and/or relative density

Density at 20 °C: 1.17 g/cm<sup>3</sup>

(Contd. on page 7)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

Trade name: Akepox 5010 Component A

(Contd. of page 6)

9.2 Other information

· Appearance:

Pasty · Form:

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. Explosive properties:

· Solvent separation test: Not applicable

Solvent content:

· Solids content: 6.9 %

· Information with regard to physical hazard classes

Explosives

Void

· Flammable gases

Void

· Aerosols

Void

Oxidising gases

Void

· Gases under pressure

Void

· Flammable liquids

Void

· Flammable solids

Void

· Self-reactive substances and mixtures

Void

· Pyrophoric liquids

Void

· Pyrophoric solids

Void

· Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable gases in contact with water

Void

· Oxidising liquids

Void

· Oxidising solids

Void

· Organic peroxides

Void

(Contd. on page 8)



(Contd. of page 7)

## Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

**Trade name:** Akepox 5010 Component A

· Desensitised explosives

· Corrosive to metals

Void

Void

**SECTION 10: Stability and reactivity** 

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

<u>reactions</u> May produce violent reactions with bases and numerous organic substances

including alcohols and amines. Strong exothermic reaction with acids.

Deserts with an election with

Reacts with reducing agents.

• 10.4 Conditions to avoid
• 10.5 Incompatible materials:

No further relevant information available.

No further relevant information available.

10.6 Hazardous decomposition

**products:** Irritant gases/vapours

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

	· LD/LC50 values relevant for classification:			
ı	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane			
ı	Oral	LD50	15,000 mg/kg (rat)	
	Dermal	LD50	23,000 mg/kg (rabbit)	
	14228-73-0 Cyclohexanedimethanol diglycidyl ether			
	Oral	LD50	>2,000 mg/kg (rat)	
	2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane			
ı	Oral	LD50	8,025 mg/kg (rat) (OECD 401)	
		NOAEL-Werte	≥5 mg/kg (mouse)	
			200 mg/kg (rabbit) (OECD 414)	
			500 / / / /OFOD 445)	

Skin corrosion/irritation
 Serious eye damage/irritation
 Causes skin irritation.
 Causes serious eye in

Serious eye damage/irritation
 Respiratory or skin sensitisation
 May cause an allergic skin reaction.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

(Contd. on page 9)



(Contd. of page 8)

## Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

**Trade name:** Akepox 5010 Component A

· 11.2 Information on other hazards

· Endocrine disrupting properties

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

List II

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

	<b>-</b>		
· <u>Aquatic toxicity:</u>			
1675-54-3 I	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane		
IC50	>100 mg/l (BES)		
EC10/16h	100 mg/l (pseudomonas putida)		
EC50/48h	1.8 mg/l (daphnia magna)		
NOEC/21d	0.3 mg/l (daphnia magna)		
EC50/72h	11 mg/l (selenastrum capricornutum)		
LC50/96h	2 mg/l (Oncorhynchus mykiss)		
14228-73-0	Cyclohexanedimethanol diglycidyl ether		
LC0/96h	10 mg/l (piscis)		
LC50/96h	13 mg/l (piscis)		
2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane			
EC50/96h	350 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
	100 mm/l/ (Online mm/lm long)		

>100 mg/l (Salmo gairdneri)

EC50 119 mg/l (green alge)

IC50 255 mg/l (Scenedesmus subspicatus)

EC50/48h 324 mg/l (daphnia magna)

EC10/5h 1,500 mg/l (pseudomonas putida)
ErC50/72h 350 mg/l (Selenastrum capricornutum)

ECO/96h 44 mg/l (Cyprinus carpio)

NOEC >100 mg/kg (Klärschlamm: Atmungs-/Vermehrungshemmung) (OECD 209)

NOEC/21d ≥100 mg/l (daphnia magna) (OECD 211) EC50/48h 324-710 mg/l (daphnia magna) (OECD 202) EC50/72h 255 mg/l (Scenedesmus subspicatus) LC50/96h 55 mg/l (Cyprinus carpio) (OECD 203)

276 mg/l (lem)

237 mg/l (Oncorhynchus mykiss)

### 12.2 Persistence and

degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

12.6 Endocrine disrupting

**properties** For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Remark: Toxic for fish

· Additional ecological information:

• General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 10)



## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

**Trade name:** Akepox 5010 Component A

(Contd. of page 9)

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for

water

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	
20 01 00	separately collected fractions (except 15 01)	
20 01 27*	paint, inks, adhesives and resins containing hazardous substances	

Uncleaned packaging:

<u>Recommendation:</u> Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

### **SECTION 14: Transport information**

· <b>14.1 UN number or ID number</b> · <u>ADR, IMDG, IATA</u>	UN3082
· 14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane)
· <u>IMDG</u>	ENVIRONMENTALLY HAZARDOUS SÜBSTÄNCE, LÍQUID,
	N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane), MARINE
	POLLUTANT
· <u>IATA</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane)

### · 14.3 Transport hazard class(es)

· <u>ADR</u>



· <u>Class</u> 9 (M6) Miscellaneous dangerous substances and articles. · <u>Label</u> 9

· IMDG, IATA



Class
 Label
 9 Miscellaneous dangerous substances and articles.
 9

14.4 Packing group

· ADR, IMDG, IATA

14.5 Environmental hazards:

· <u>Marine pollutant:</u> Yes

Symbol (fish and tree)
Special marking (ADR):
Special marking (IATA):
Symbol (fish and tree)
Symbol (fish and tree)

(Contd. on page 11)



(Contd. of page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

Trade name:	Akepox 5010	Component A

• 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):

90

· EMS Number: F-A,S-F
· Stowage Category A

14.7 Maritime transport in bulk according to IMO

<u>instruments</u> Not applicable.

· Transport/Additional information:

ADR

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category 3 · Tunnel restriction code (-)

·IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE

LIQUID, N.O.S. (BIS[4-(2,3-EPOXYPROPOXY)PHENYL]

PROPANE), 9, III

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

200 t

· Qualifying quantity (tonnes) for the application of lower-tier

requirements

· Qualifying quantity (tonnes) for the

application of upper-tier

requirements 500 t

· REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 12)



## according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 3 (replaces version 2) Revision: 09.02.2022

Trade name: Akepox 5010 Component A

(Contd. of page 11)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be

observed.

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 0.0 g/l

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Laboratory · Contact: Elke Hake

> Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Version number of previous

version:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de · Abbreviations and acronyms:

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3