

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **Everclear 110, Komponente B**

Article number: 11429, 11430B

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Hardening agent/ Curing agent

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH  
Lechstrasse 28  
D 90451 Nürnberg

Tel. +49(0)911-642960  
Fax. +49(0)911-644456  
e-mail info@akemi.de

Further information obtainable from:

Laboratory  
Dieter Zimmermann  
@mail\_D.Zimmermann@akemi.de

### 1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH  
Tel. +49(0)911-64296-59  
Reachable during the following office hours:  
Monday – Thursday from 07:30 a.m. to 16:30 p.m.  
Friday from 07:30 a.m. to 13:30 p.m.  
+44 (171) 635 91 91  
National Poison Inform. Centre  
Medical Toxicology Unit  
Avalonley Road  
London SE14 5ER

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word

Warning

Hazard-determining components of labelling:

aliphatic polyisocyanate  
hexamethylene-di-isocyanate  
4-isocyanatosulphonyltoluene

Hazard statements

H332 Harmful if inhaled.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.

(Contd. on page 2)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 1)

- Precautionary statements
- |           |   |
|-----------|---|
| P101      | If medical advice is needed, have product container or label at hand.                               |
| P102      | Keep out of reach of children.  |
| P103      | Read label before use.  |
| P261      | Avoid breathing vapours.  |
| P271      | Use only outdoors or in a well-ventilated area.   |
| P273      | Avoid release to the environment.   |
| P280      | Wear protective gloves/protective clothing/eye protection/face protection.                          |
| P302+P352 | IF ON SKIN: Wash with plenty of water.  |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                          |
| P312      | Call a POISON CENTER/doctor if you feel unwell.   |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.                                    |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed.                                    |
| P405      | Store locked up.  |
| P501      | Dispose of contents/container in accordance with local/regional/national/international regulations. |
- **2.3 Other hazards**
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures**

- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

EC number: 931-275-8 Reg.nr.: 01-2119485796-17-0000	aliphatic polyisocyanate ⚠ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	50-100%
CAS: 4083-64-1 EINECS: 223-810-8 Index number: 615-012-00-7 Reg.nr.: 01-21199800050-47	4-isocyanatosulphonyltoluene ⚠ Resp. Sens. 1, H334 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	<1%
CAS: 822-06-0 EINECS: 212-485-8 Index number: 615-011-00-1 Reg.nr.: 01-2119457571-37-0001	hexamethylene-di-isocyanate ⚠ Acute Tox. 3, H331 ⚠ Resp. Sens. 1, H334 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	<1%

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen cyanide (HCN)

· **5.3 Advice for firefighters**

· Protective equipment:

Wear self-contained respiratory protective device.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· Storage:

· Requirements to be met by storerooms and receptacles:

No special requirements.

· Information about storage in one common storage facility:

Not required.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Protect from frost.

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

##### **4083-64-1 4-isocyanatosulphonyltoluene**

WEL	Short-term value: 0.07 mg/m <sup>3</sup> Long-term value: 0.02 mg/m <sup>3</sup> Sen; as -NCO
-----	---

##### **822-06-0 hexamethylene-di-isocyanate**

WEL	Short-term value: 0.07 mg/m <sup>3</sup> Long-term value: 0.02 mg/m <sup>3</sup> Sen; as -NCO
-----	---

#### · DNELs

##### **aliphatic polyisocyanate**

Inhalative	DNEL (Kurzzeit-akut)	1 mg/m <sup>3</sup> Air (ARB)
	DNEL (Langzeit-wiederholt)	0.5 mg/m <sup>3</sup> Air (ARB)

#### · PNECs

##### **aliphatic polyisocyanate**

PNEC (wässrig)	38.28 mg/l (KA)
	0.0127 mg/l (MW)
	0.127 mg/l (SW)
	1.27 mg/l (WAS)
PNEC (fest)	53,200 mg/kg Trockengew (BO)
	266,700 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

#### · **8.2 Exposure controls**

· Personal protective equipment:

· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A/P2

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 4)

compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

Protective work clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:

Fluid

Colour:

Colourless

##### · Odour:

Odourless

##### · Odour threshold:

Not determined.

##### · pH-value:

Not determined.

##### · Change in condition

Melting point/freezing point:

Undetermined.

Initial boiling point and boiling range: Undetermined.

##### · Flash point:

> 160°C

##### · Flammability (solid, gas):

Not applicable.

##### · Ignition temperature:

Decomposition temperature:

Not determined.

##### · Auto-ignition temperature:

Not determined.

##### · Explosive properties:

Product does not present an explosion hazard.

##### · Explosion limits:

Lower:

Not determined.

Upper:

Not determined.

##### · Vapour pressure:

Not determined.

##### · Density at 20°C:

1.15 g/cm<sup>3</sup>

##### · Relative density

Not determined.

##### · Vapour density

Not determined.

##### · Evaporation rate

Not determined.

##### · Solubility in / Miscibility with water:

Not miscible or difficult to mix.

(Contd. on page 6)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 5)

- |  |  |
|--|--|
| · <u>Partition coefficient: n-octanol/water:</u> | Not determined.                            |
| · <u>Viscosity:</u>                              |  |
| · <u>Dynamic at 20°C:</u>                        | 25,000 mPas                                |
| · <u>Kinematic:</u>                              | Not determined.                            |
| · <u>Solvent content:</u>                        |  |
| · <u>Organic solvents:</u>                       | 0.4 %                                      |
| · <u>Solids content:</u>                         | 4.4 %                                      |
| · <b>9.2 Other information</b>                   | No further relevant information available. |

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- Acute toxicity Harmful if inhaled.

· LD/LC50 values relevant for classification:**ATE (Acute Toxicity Estimates)**

Dermal	LD50	>2,114 mg/kg (rabbit)
Inhalative	LC50/4 h	0.411 mg/l (rat)

**aliphatic polyisocyanate**

Oral	LD50	>2,500 mg/kg (rat)
	NOAEL-Werte	3 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
		>2,000 mg/kg (rat)
Inhalative	LC50/4 h	0.39 mg/l (rat) (OECD TG 403)

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 6)

**SECTION 12: Ecological information****12.1 Toxicity**· Aquatic toxicity:**aliphatic polyisocyanate**

EC50	3,828 mg/l (BES) (OECD 209)
LC 0/96h	>82.8 mg/l (Brachydanio rerio) (OECD 203)
EC50/48h	127 mg/l (daphnia magna) (RL 67/548/EWG, Anhang V, C.3.)
ErC50/72h	>1,000 mg/l (Desmodesmus subspicatus)
EC0	>100 mg/l (daphnia magna) (OECD 202)
EL50/48h	127 mg/l (daphnia magna)
LL50/96h	8.9 mg/l (Brachydanio rerio)
EC10	370 mg/l (Desmodesmus subspicatus)
EC50/72h	>1,000 mg/l (Scenedesmus subspicatus) (OECD 201)
LC50/96h	>100 mg/l (Danio rerio.) (RL 67/548/EWG, Anhang V, C.1.)

**12.2 Persistence and degradability**· Other information: No further relevant information available.· **12.3 Bioaccumulative potential** The product is not easily biodegradable.· **12.4 Mobility in soil** No further relevant information available.· Ecotoxicological effects:· Remark: Harmful to fish· Additional ecological information:· General notes: Harmful to aquatic organisms  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**12.5 Results of PBT and vPvB assessment**· PBT: Not applicable.· vPvB: Not applicable.· **12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods**· Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.· Uncleaned packaging:· Recommendation: Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN-Number**· ADR, ADN, IMDG, IATA Void**14.2 UN proper shipping name**· ADR, ADN, IMDG, IATA Void**14.3 Transport hazard class(es)**· ADR, ADN, IMDG, IATA· Class Void

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name:** Everclear 110, Komponente B

(Contd. of page 7)

· <b>14.4 Packing group</b> · ADR, IMDG, IATA	Void
· <b>14.5 Environmental hazards:</b> · Marine pollutant:	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- VOC EU 4.3 g/l
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.
- Department issuing SDS: Laboratory
- Contact: Dieter Zimmermann  
Elke Hake  
Fon ++49 (0)911 64296-59  
@mail E.Hake@akemi.de
- Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

GB



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.07.2017

Version number 3

Revision: 26.07.2017

**Trade name: Everclear 110, Komponente B**

(Contd. of page 8)

DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Resp. Sens. 1: Respiratory sensitisation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB