

Safety Data Sheet

FUGA FRESCA

Safety Data Sheet dated: 13/03/2020 - version 3



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: FUGA FRESCA

Trade code: 905L110

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Water dispersion synthetic resin based paint

Uses advised against: N.A.

1.3. Details of the supplier of the safety data sheet

Company: MAPEI U.K. Ltd - Mapei House Steel Park Road

Halesowen - West Midlands B62 8HD

www.mapei.co.uk (office hour 8:30-17:30)

Responsible: sicurezza@mapei.it

1.4. Emergency telephone number

call NHS 111 or a doctor/OHES Environmental Ltd +44(0)1684 299 886

phone: +44(0)121 508 6970 - fax: +44(0)121 5086 960

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

0 The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT/vPvB Ingredients are present

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: FUGA FRESCA

Hazardous components within the meaning of the CLP regulation and related classification:

Quantity	Name	Ident. Numb.	Classification	Registration Number	Properties:
≥1 - <2.5 %	ethanediol; ethylene glycol	CAS:107-21-1 EC:203-473-3 Index:603-027-00-1	Acute Tox. 4, H302; STOT RE 2, H373	01-2119456816-28-xxxx	
≥0.1 - <0.25 %	nonylphenol, branched, ethoxylated	CAS:68412-54-4 EC:500-209-1	Acute Tox. 4, H302; Eye Dam. 1, H318; Aquatic Chronic 2, H411		SVHC

<p>≥0.025 - <0.05 %</p>	<p>1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one</p>	<p>CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6</p>	<p>Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 2, H411</p>
<p><0.0015 %</p>	<p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</p>	<p>CAS:55965-84-9 EC:611-341-5 Index:613-167-00-5</p>	<p>Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 3, H301; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Acute Tox. 2, H310; Acute Tox. 2, H330; Eye Dam. 1, H318, M-Chronic:100, M-Acute:100</p>

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: N.A.

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
ethanediol; ethylene glycol	National	SWEDEN		25	10	50	20		SWEDEN, Short-term value, 15 minutes average value
	National	FINLAND		50	20	100	40		FINLAND, hud
	National	NORWAY		52	20	104	40		NORWAY, H5
	National	SWEDEN		25	10	50	20		SWEDEN, Short-term value, 15 minutes average value
	EU	NNN		52	20	104	40		Skin
	National	NORWAY		10	10	20	20		
	ACGIH	NNN		C		100			(H), A4 - URT and eye irr
	National	NORWAY		26		52			
	DFG	GERMANY		C		52	20		
	ACGIH				25	10	50		A4 - Not Classifiable as a Human Carcinogen; upper respiratory tract irritation
	National	SWEDEN		25	10				
	National	FRANCE		52	20	104	40		
	National	SPAIN		52	20	104	40		
	National	GREECE		125	50	125	50		
	National	DENMARK		26	10				
	National	DENMARK		10	10				
	National	FINLAND		50	20	100	40		
	National	PORTUGAL		52	20	104	40		
	National	NORWAY		52	20	104	40		
	NDS	POLAND		15					
	NDSCh	POLAND				50			
	National	PORTUGAL		C		100			
	CHE	SWITZERLAND				52	20		
	NDS	NETHERLANDS		52		104			
	NDS	NETHERLANDS		10		104			
	National	GERMANY		26	10				
	National	CZECH REPUBLIC		50					
	National	HUNGARY		52		104			
National	SLOVAKIA		52	20					
National	SLOVENIA		52	20	104	40			
National	UNITED KINGDOM		10	20	104	40			
National	UNITED KINGDOM		10	20	30	40			

Malaysia OEL	MALAYSIA	C			100	39,4	
National	ESTONIA		52	20	104	40	
National	LATVIA		52	20	104	40	
National	CZECH REPUBLIC	C			100		
National	SLOVAKIA	C			104		
National	CROATIA		52	20	104	40	
EU			52	20	104	40	Indicative Possibility of significant uptake through the skin
National	UNITED KINGDOM		52	20	104	40	
National	BULGARIA		52	20	104	40	
National	ROMANIA		52	20	104	40	
TUR	TURKEY		52	20	104	40	
National	LITHUANIA		25	10	50	20	

Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC LIMIT	Exposure Route	Exposure Frequency	Remark
ethanediol; ethylene glycol	107-21-1	10 mg/l	Fresh Water		
		1 mg/l	Marine water		
		1,53 mg/kg	Soil		
		37 mg/kg	Freshwater sediments		
		10 mg/l	Intermittent release		
		199,5 mg/l	Microorganisms in sewage treatments		
		3,7 mg/kg	Marine water sediments		

Derived No Effect Level. (DNEL)

Component	CAS-No.	Worker Industrial	Worker Professional	Consumer	Exposure Route	Exposure Frequency	Remark
ethanediol; ethylene glycol	107-21-1	106 mg/kg		53 mg/kg	Human Dermal	Long Term, systemic effects	
				53 mg/kg	Human Oral	Long Term, systemic effects	
		35 mg/m3		7 mg/m3	Human Inhalation	Long Term, local effects	

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; EN 374:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user

information.

Hygienic and Technical measures

N.A.

Appropriate engineering controls:

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: liquid various

Odour: characteristic

Odour threshold: N.A.

pH: 8,80

Melting point / freezing point: N.A.

Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: N.A.

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: 1,52 g/cm³

Solubility in water: dispersible

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Viscosity: 6.000,00 cPs

Explosive properties: ==

Oxidizing properties: N.A.

Solid/gas flammability: N.A.

9.2. Other information

No additional information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

ethanediol; ethylene glycol a) acute toxicity LD50 Oral Rat > 2000 mg/kg

LC50 Inhalation Rat > mg/l

LD50 Skin Mouse > 2000 mg/kg

LD50 Skin Rat = 10600 mg/kg

LD50 Oral Rat = 4700 mg/kg

e) germ cell mutagenicity NOAEL Oral Rabbit = 2000 mg/kg

- f) carcinogenicity NOAEL Oral Mouse = 1500 mg/kg
- g) reproductive toxicity NOAEL Oral Rat = 1000 mg/kg

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one a) acute toxicity LD50 Oral Rat = 1020 mg/kg

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) a) acute toxicity LD50 Oral Rat = 457 mg/kg

LC50 Inhalation Rat = 2,36 mg/l 4h
 LD50 Skin Rabbit = 660 mg/kg
 LD50 Oral Rat = 53 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- k) Toxicological kinetics, metabolism and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
ethanediol; ethylene glycol	CAS: 107-21-1 - EINECS: 203-473-3 - INDEX: 603-027-00-1	a) Aquatic acute toxicity : EC50 Daphnia > 100 mg/L 48 a) Aquatic acute toxicity : EC50 Algae > 100 mg/L 96 a) Aquatic acute toxicity : LC50 Fish > 100 mg/L 96 b) Aquatic chronic toxicity : NOEC Fish > 100 mg/L - 7 d b) Aquatic chronic toxicity : NOEC Daphnia > 100 mg/L - 7 d b) Aquatic chronic toxicity : NOEC Algae > 100 mg/L 72 a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 41000 mg/L 96h IUCLID a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 14 mL/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 27540 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 40761 mg/L 96h IUCLID a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 40000 mg/L 96h EPA

nonylphenol, branched,
ethoxylated

CAS: 68412-54-4 -
EINECS: 500-209-1

1,2-benzisothiazol-3(2H)-one; 1,2-
benzisothiazolin-3-one

CAS: 2634-33-5 -
EINECS: 220-120-9 -
INDEX: 613-088-00-6

reaction mass of: 5-chloro-2-
methyl-4-isothiazolin-3-one [EC
no. 247-500-7] and 2-methyl-2H -
isothiazol-3-one [EC no. 220-239-
6] (3:1)

CAS: 55965-84-9 -
EINECS: 611-341-5 -
INDEX: 613-167-00-5

a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata = 16000 mg/L 96h
IUCLID

a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 46300 mg/L 48h
IUCLID

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata 6500
mg/L 96h IUCLID

a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 0,323 mg/L 96h
ECHA

a) Aquatic acute toxicity : LC50 Fish = 2,15000 mg/L

b) Aquatic chronic toxicity : NOEC Algae = 0,04030 mg/L 72h

b) Aquatic chronic toxicity : EC50 Algae = 0,11000 mg/L 72h

b) Aquatic chronic toxicity : EC10 Algae = 0,04000 mg/L 72h

b) Aquatic chronic toxicity : EC50 Daphnia = 3,27000 mg/L 48h

NOEC Daphnia = 1,20000 mg/L 21d

a) Aquatic acute toxicity : EC50 Daphnia = 0,12 mg/L 48

a) Aquatic acute toxicity : LC50 Fish = 0,22 mg/L 96

a) Aquatic acute toxicity : EC50 Algae = 0,048 mg/L 72

b) Aquatic chronic toxicity : NOEC Algae = 0,0012 mg/L 72

b) Aquatic chronic toxicity : NOEC Fish = 0,098 mg/L - 28 d

b) Aquatic chronic toxicity : NOEC Daphnia = 0,004 mg/L - 21 d

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

12.6. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

A waste code according to European waste catalogue (EWC) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service.

Product:

Do not dispose of waste into sewers.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to an authorized waste disposal service.

Contaminated packaging:

Empty remaining content.

Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number

N.A.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

ADR-Hazard identification number: NA

Air (IATA):

N.A.

Sea (IMDG):

N.A.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC) : 25 g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) 2015/830

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

German Water Hazard Class

N.A.

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None

Restrictions related to the substances contained: 28

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

Component	Ident. Numb.	Quantity	Properties:
nonylphenol, branched, ethoxylated	CAS: 68412-54-4	>=0.1 - <0.25 %	SVHC

EINECS: 500-209-1

MAL-kode: 00-3

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H411	Toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.9/2	STOT RE 2	Specific target organ toxicity – repeated exposure, Category 2
4.1/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION